

SPENCER WALCOTT

COLLECTION

MATHEWS
BROTHERS
AMERICA'S OLDEST WINDOW MANUFACTURER



Table of Contents

1

Table of Contents	1
Welcome to Spencer Walcott	3
Double Hung	6
Casement	7
Awning	9
Horizontal Slider.....	10
Shapes	
Geometrics	11
Radius	12
Bay Windows	13
Bow Windows	14
Patio Doors	15
Finish Options	17
Divided Lite Options	18
Hardware Finishes	19
Exterior Casing Options	20
Standard Sizes	21

We are proud to showcase for you, our loyal customers and homebuilders,
all of our premium Spencer Walcott products.

SPENCER WALCOTT

COLLECTION



The Spencer Walcott Collection

Spencer Walcott Mathews is regarded as the founding "brother" of Mathews Brothers. In 1854, as part owner of a sash and blinds factory in Belfast, Maine, Spencer was joined by his brother, Noah. The two formed the N.M. and S.W. Mathews Co. Six years later, younger brother Sanford came aboard and they changed the name to Mathews & Co. In 1873, The Great Fire of Belfast destroyed the factory, but the brothers rebuilt and reopened 70 days later under the name Mathews Brothers Company. Spencer Walcott Mathews was known for his attention to detail and for his love for his company and community.

A Window Over 170 Years In The Making

Today, we apply those same principles and it's why we're proud to name this product family after Spencer Walcott Mathews. The Spencer Walcott family of windows and doors has proven to be the window of choice for builders and contractors who demand a high-quality, energy-efficient and affordable window for their client's projects. With a wide range of interior and exterior options, the Spencer Walcott will add style and beauty to your home for decades to come.

Building on a legacy of craftsmanship and innovation, every window in the Spencer Walcott collection reflects a commitment to enduring performance and design versatility. Our careful attention to detail and the use of trusted materials ensure that these products provide reliable function while enhancing the aesthetic appeal of any structure. Whether you are upgrading an existing home or embarking on a new construction project, the Spencer Walcott range offers flexibility to meet a variety of design needs.

Each product is designed to deliver consistent performance, ensuring that your investment continues to pay dividends in comfort and style over time. With a focus on simplicity and quality, the Spencer Walcott family is a testament to the value of timeless design paired with modern innovations. From classic to contemporary, the design possibilities are as varied as the projects of our clients. This diverse offering makes the Spencer Walcott collection a reliable choice for architects, builders, and homeowners alike, reflecting a balanced approach to both form and function.

Experience the blend of traditional values and modern technology with Spencer Walcott windows and doors—where every detail is designed to support a lasting relationship between quality craftsmanship and everyday living.



SPENCER WALCOTT

COLLECTION



SPENCER WALCOTT

COLLECTION



Double Hung

6



Classic And Sturdy

Traditional, classic, durable – double-hungs give you all of that plus energy efficiency and peace of mind. Top and bottom sash operate smoothly allowing you to control air flow, and they both tilt-in for easy cleaning and care. Grilles can be added to further enhance the traditional look of your home.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite® warm-edge technology / Low-E glass / Argon gas fill.
2. Integral nailing fin [new construction only] provides air and water seal around frame.
3. Integral $\frac{3}{4}$ " J-channel speeds installation.
4. Fusion-welded frame and sash for added strength.
5. Constant force balance system ensures easy sash operation.
6. Extruded white interior and exterior frame and sash with color-matched hardware.
7. Pre-sloped sills for water runoff.
8. Non-corrosive hardware includes a lifetime of trouble-free performance, no matter what the environment.
9. Cam-action lock action draws sashes closer for a tighter positive lock.
10. Integral interlocking meeting rail provides additional security.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite® warm-edge technology / Low-E glass / Argon gas fill.
2. Integral nailing fin [new construction only].
3. Available with or without $\frac{3}{4}$ " J-channel.
4. Fusion-welded frame for added strength and durability.
5. Extruded white interior and exterior color with color matched hardware.
6. Casement sash opens completely, so windows can be cleaned easily from inside your home.
7. All components are corrosion resistant, providing years of trouble-free performance.
8. Multi-Point Locking System for the utmost security.
9. Three layers of weather-stripping ensure effective barrier to air and water penetration.
10. Top rated hardware system allows even the largest casements to be effortlessly and smoothly operated.

Beauty and Utility

With clean, contemporary architectural lines, casement windows offer 100% opening for maximum ventilation. By extending beyond the plane of the wall, casements catch passing breezes and channel them into the home. Casement & Awnings are our most energy-efficient operating product unit, featuring $\frac{3}{4}$ " insulating glass and a single lever multi-point locking system that keeps the sash tightly sealed in multiple locations.



SPENCER WALCOTT

COLLECTION



Versatile Ventilation

An awning window is hinged at the top and opens out from the bottom allowing in fresh air, while keeping out the rain. Use alone or in combination with casement, picture, or other awnings.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite® warm-edge technology Low-E glass and argon gas fill.
2. Integral nailing fin [new construction only].
3. Integral $\frac{3}{4}$ " J-channel.
4. Fusion-welded frame and sash for added strength.
5. Extruded white interior and exterior color with color matched hardware.
6. Two sets of Nylon glides evenly disperse the weight of the sash.
7. Glides travel on integral track system allowing for effortless fingertip operation.
8. Independent weep chambers on frame ensure effective water runoff.



Horizontal Slider

10

Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite® warm-edge technology Low-E glass and argon gas fill.
2. Integral nailing fin [new construction only].
3. Integral $\frac{3}{4}$ " J-channel.
4. Fusion-welded frame and sash for added strength.
5. Extruded white interior and exterior color with color matched hardware.
6. Two sets of Nylon glides evenly disperse the weight of the sash.
7. Glides travel on integral track system allowing for effortless fingertip operation.
8. Independent weep chambers on frame ensure effective water runoff.
9. Dual Sliders, both sashes lift out for easy cleaning
10. Available in two lite (left, right, or dual venting) and three lite configurations ($\frac{1}{4} - \frac{1}{2} - \frac{1}{4}$ and $\frac{1}{3} - \frac{1}{3} - \frac{1}{3}$).

Orientated Design

You'll find the horizontal sliders are the best value in our line of new construction or replacement products.

Because they don't open into outdoor activities, our easy-glide sliders are especially recommended for high traffic areas, such as over a deck or walkway.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite warm-edge technology.
2. Low-E glass and argon gas fill.
3. Integral nailing fin [new construction only].
4. Integral $\frac{3}{4}$ " J-channel.
5. Extruded white interior and exterior color.
6. Independent weep chambers on frame ensure effective water runoff.

Geometric Shapes

1. Trapezoid	5. Octagon
2. Triangle	6. Hexagon
3. Pentagon	7. Diamond
4. Clipped Corner	8. Parallelogram

Precision of Accented Beauty

Make a bold statement with our Geometric Shape Units, crafted to bring unique character and dimension to any space. Featuring crisp angles and clean lines, these windows are available in a variety of shapes, including triangles and trapezoids.

Whether used as standalone architectural accents or combined with other windows for a custom design, our geometric units provide striking visual appeal while allowing natural light to enhance your home's aesthetic. Built for durability and energy efficiency, they offer both style and performance tailored to your vision.



Shapes - Radius

12

Elegant and Bold

Enhance your home's architectural elegance with our Radius Shape Units, designed to add a touch of sophistication and style. These curved window designs create stunning focal points, softening harsh lines while maximizing natural light.

Available in a variety of shapes—including half-rounds, quarter-rounds, and elliptical designs—our radius units seamlessly complement both traditional and contemporary spaces. Built with premium materials and precision craftsmanship, they provide exceptional durability and energy efficiency, ensuring beauty and performance that lasts.



Standard Features

1. 3/4" insulating glass with Duralite warm-edge technology.
2. Low-E glass and argon gas fill.
3. Integral nailing fin [new construction only].
4. Integral 3/4" J-channel.
5. Extruded white interior and exterior color.
6. Independent weep chambers on frame ensure effective water runoff.

Radius Shapes

1. Half-Round	5. Extended Arch
2. Quarter-Round	6. Gothic
3. Oval	7. Elliptical
4. Circle	8. Eyebrow




Standard Features

1. 1-1/4" furniture grade head and seat boards anchored together by solid steel rods.
2. 5" thick seat board boasting a 3" thick insulating panel with an insulating value of R-21.
3. 1-1/4" furniture grade, hardwood veneer plywood interior.
4. Available in a 30° or 45° version.



Classic And Sturdy

We start with the foundation, the framework, which has been cut to exact specifications using precision CNC technology. No matter what you choose, every detail in the design has been considered, ensuring years of trouble-free performance... and beauty.



Low Voltage, Recessed Lighting



Enhance the beauty of bay or bow windows through direct lighting. Illuminate plants, accent items and the window frame and seat.

Available with one, two or three recess lights.

Trim Ring Styles



POLISHED BRASS



WHITE



BRUSHED NICKEL

Customization Options

Roof System

Pre-assembled wood and copper roof systems dramatically reduce roof construction and installation time.



CONCAVE STYLE
WOOD SYSTEM

STANDARD HIP STYLE
WOOD SYSTEM



STANDARD HIP STYLE
COPPER SYSTEM

Solid Surface Seats



All styles are available with a 1/4" Solid-Surface Seat. Durable, scratch-resistant, and impervious to water. Perfect for plants!

Surface Seat Color Options


NATURAL WHITE



PARTHENON



BONE



CHEZ LINEN



A New Dimension

Windows don't have to be two dimensional. Projected units dramatically impact the look and feel of a home. Projected units add depth and dimension to the inside, and a distinctive accent to the outside. Like all our products, our bow windows are made by skilled craftsmen, from the highest quality materials.



Standard Features

1. 1-1/4" furniture grade head and seat boards anchored together by solid steel rods.
2. 5" thick seat board boasting a 3" thick insulating panel with an insulating value of R-21.
3. 1-1/4" furniture grade, hardwood veneer plywood interior.
4. Available in three-, four-, and five-lite versions.



Customization Options

All customization options available for our bay windows are also available for bow windows.



POLISHED BRASS



WHITE



BRUSHED NICKEL



STANDARD HIP STYLE
WOOD SYSTEM



CONCAVE STYLE
WOOD SYSTEM



STANDARD HIP STYLE
COPPER SYSTEM

Surface Seat Color Options

NATURAL WHITE

PARTHENON

BONE

CHEZ LINEN

Classic And Sturdy

The insulated glazing in our vinyl sliding patio door is constructed using warm-edge technology, as well as Low-E tempered safety glass with argon gas fill, so it holds up to the weather while allowing you to experience the beauty of the great outdoors.

Constructed from low-maintenance vinyl, the frame and panels are welded at the corners during assembly to provide a product superior in strength, performance, and appearance. The sliding door operates smoothly on heavy duty stainless steel tandem rollers.

Spencer Walcott vinyl sliding patio doors are available as two-, three-, or four-panel, in standard and custom sizes; with either left or right operating panel. Available with or without grilles.

Standard Features

1. 7/8" Tempered Low-E/Clear insulating glass with argon gas fill.
2. Extruded white interior and exterior color, with matching handle sets.
3. Integral nailing flange and integral J-channel.
4. 4 9/16" jamb.
5. Fusion-welded joints.
6. Heavy-duty extruded insect screen.



SPENCER WALCOTT
COLLECTION




Finish Options

17


Exterior

Bring color to the exterior finish of any Spencer Walcott window with a myriad of colors to choose from.



Interior

Discover the right blend of interior accent with one of our eclectic interior finishes.



Enhanced Historic Look with Pediment Heads



Adding a pediment head to the top of your Spencer Walcott windows adds even more accented historic beauty to your project's look.

Pediment heads can be added to any Spencer Walcott unit and can be painted to color match the unit it installs onto.



Divided Lite Options

18

Multiple Options for Multiple Lites

Mathews Brothers has been creating windows with divided lites for over 170 years. The application of divided lites is basically an attempt to copy the aesthetic provided by the millworkers and glaziers that crafted the original Mathews Brothers windows in the 1800's. Mathews Brothers created the standard and continue to offer the best fit and finish and the most historically accurate divided lites available today.

Grilles Between the Glass (GBG) bring a value engineered option while providing an ease of cleaning that many homeowners desire. Simulated Divided Lites (SDL) provide a historic and architecturally accurate simulation of the original muntin bars of the past while maintaining the thermal performance of modern-day glazing options.



3/4" Contoured GBG



5/8" Flat GBG



7/8" Contoured SDL



5/8" Trapezoidal SDL



Hardware Finishes

19

Double Hung Sash Lock



White



Black



Adobe



Nickel

Casement and Awning Handle



White



Black



Adobe



Nickel

Casement and Awning Lock



White



Black



Adobe



Nickel

Patio Door Handle

Patio Door handles work in conjunction with the multi point lock installed in all Spencer Walcott patio doors. There is a center mounted lever on the interior of the handle for lock operation. Exterior Key operation is available.



White



Black



Adobe



Gold



Nickel



Exterior Casing Options

20

Factory Applied, Architecturally Correct

Architectural and historic details were of the utmost importance in the design of the Spencer Walcott collection of doors and windows. That is why every window and door is built with a traditional blind stop that accommodates the flush mounting of exterior casing options. Spencer Walcott factory applied casing options not only save time but also create a visual aesthetic that cannot be reproduced in the field. All of the Spencer Walcott exterior casing options are full and accurate in dimension as there were no sacrifices in material weight and depth. Mathews Brothers doesn't cut corners, we add value to every corner with our exterior casing process.

Flat Casing

Crafted in the image of a traditional 5/4 X 4 board, Spencer Walcott Flat Casing is dimensioned full and square at a nominal size of 1" X 3 1/2" just like the wood boards that come from a mill.

Banded Casing

For many years in New England, craftsman have been casing windows with a traditional 1 X 5 board inclusive of decorative 1 3/8" band molding applied to the perimeter. Spencer Walcott Banded Casing is dimensioned full and square at a nominal size of 3/4" x 4 1/2" with an actual band molding applied to create the proper dimension and shadow lines of this classic window treatment.

Brickmould / Staff Bead Casing

Staff Bead casing is dimensioned the same as commonplace brickmold but is shaped with the architectural lines of the exterior casing that is often an accent item on a historical brick building or classic brownstone.

Northern Casing

Northern casing is very similar to Brickmould casing, however it includes a removable install channel. After removing the moulding cover, the face of the window can be screwed in directly, and then replaced. This adds versatility to the installation process.

Historic Sill Nose

The traditional sloped sill of the Spencer Walcott double hung window is accentuated by a proper sill nose that creates an extended accent that protrudes out from the sill but extends past the frame creating historic sill horns for the exterior casings to merge with. The Historic Sill Nose has a heavy face dimension that recalls window structure from the 19th century or simply works today as a bold feature.






Standard Sill Nose

The traditional sloped sill of the Spencer Walcott double hung window is accentuated by a proper sill nose that creates an extended accent that protrudes out from the sill but extends past the frame creating historic sill horns for the exterior casings to merge with. The Standard Sill Nose has a minimalistic face dimension that mimics window structure from the 20th century or simply works today when clean lines are desired.

Standard Sizes

21









Rough Opening	20"	22"	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	48"	
Unit Size	19½"	21½"	23½"	25½"	27½"	29½"	31½"	33½"	35½"	37½"	39½"	41½"	43½"	47½"	36"
	 SH2036	 SH2236	 SH2436	 SH2636	 SH2836	 SH3036	 SH3236	 SH3436	 SH3636	 SH3836	 SH4036	 SH4236	 SH4436	 SH4836	 35½"
	 SH2042	 SH2242	 SH2442	 SH2642	 SH2842	 SH3042	 SH3242	 SH3442	 SH3642	 SH3842	 SH4042	 SH4242	 SH4442	 SH4842	 41½"
	 SH2048	 SH2248	 SH2448	 SH2648	 SH2848	 SH3048	 SH3248	 SH3448	 SH3648	 SH3848	 SH4048	 SH4248	 SH4448	 SH4848	 41½"
	 SH2054	 SH2254	 SH2454	 SH2654	 SH2854	 SH3054	 SH3254	 SH3454	 SH3654	 SH3854	 SH4054	 SH4254	 SH4454	 SH4854	 41½"
	 SH2057	 SH2257	 SH2457	 SH2657	 SH2857	 SH3057	 SH3257	 SH3457	 SH3657	 SH3857	 SH4057	 SH4257	 SH4457	 SH4857	 41½"
	 SH2060	 SH2260	 SH2460	 SH2660	 SH2860	 SH3060	 SH3260	 SH3460	 SH3660	 SH3860	 SH4060	 SH4260	 SH4460	 SH4860	 41½"
	 SH2066	 SH2266	 SH2466	 SH2666	 SH2866	 SH3066	 SH3266	 SH3466	 SH3666	 SH3866	 SH4066	 SH4266	 SH4466	 SH4866	 41½"
	 SH2072	 SH2272	 SH2472	 SH2672	 SH2872	 SH3072	 SH3272	 SH3472	 SH3672	 SH3872	 SH4072	 SH4272	 SH4472	 SH4872	 41½"
	 With J-Channel	 J-Channel Filler	 1/2"-5/8" Drywall Return	 3/4" Drywall Return	 Extension Jamb										

Custom Sizes Also Available

Standard Sizes











































22

Rough Opening	20"	22"	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	48"	
Unit Size	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	39 1/2"	41 1/2"	43 1/2"	47 1/2"	36"
	 DH2036	 DH2236	 DH2436	 DH2636	 DH2836	 DH3036	 DH3236	 DH3436	 DH3636	 DH3836	 DH4036	 DH4236	 DH4436	 DH4836	 36"
	 DH2042	 DH2242	 DH2442	 DH2642	 DH2842	 DH3042	 DH3242	 DH3442	 DH3642	 DH3842	 DH4042	 DH4242	 DH4442	 DH4842	 41 1/2"
	 DH2048	 DH2248	 DH2448	 DH2648	 DH2848	 DH3048	 DH3248	 DH3448	 DH3648	 DH3848	 DH4048	 DH4248	 DH4448	 DH4848	 42"
	 DH2054	 DH2254	 DH2454	 DH2654	 DH2854	 DH3054	 DH3254	 DH3454	 DH3654	 DH3854	 DH4054	 DH4254	 DH4454	 DH4854	 48"
	 DH2057	 DH2257	 DH2457	 DH2657	 DH2857	 DH3057	 DH3257	 DH3457	 DH3657	 DH3857	 DH4057	 DH4257	 DH4457	 DH4857	 53 1/2"
	 DH2060	 DH2260	 DH2460	 DH2660	 DH2860	 DH3060	 DH3260	 DH3460	 DH3660	 DH3860	 DH4060	 DH4260	 DH4460	 DH4860	 56 1/2"
	 DH2066	 DH2266	 DH2466	 DH2666	 DH2866	 DH3066	 DH3266	 DH3466	 DH3666	 DH3866	 DH4066	 DH4266	 DH4466	 DH4866	 59 1/2"
	 DH2072	 DH2272	 DH2472	 DH2672	 DH2872	 DH3072	 DH3272	 DH3472	 DH3672	 DH3872	 DH4072	 DH4272	 DH4472	 DH4872	 60"
	 DH2078	 DH2278	 DH2478	 DH2678	 DH2878	 DH3078	 DH3278	 DH3478	 DH3678	 DH3878	 DH4078	 DH4278	 DH4878	 71 1/2"	
	     														 72"

Custom Sizes Also Available

Standard Sizes


23

Rough Opening	18"	20"	24"	28"	30"	36"	
Unit Size	17½"	19½"	23½"	27½"	29½"	35½"	
	 CA1824	 CA2024	 CA2424	 CA2824	 CA3024	 CA3624	 24"
	 CA1836	 CA2036	 CA2436	 CA2836	 CA3036	 CA3636	 36"
CASEMENT	 CA1842	 CA2042	 CA2442	 CA2842	 CA3042	 CA3642	 42"
	 CA1848	 CA2048	 CA2448	 CA2848	 CA3048	 CA3648	 48"
	 CA1854	 CA2054	 CA2454	 CA2854	 CA3054	 CA3654	 54"
	 CA1860	 CA2060	 CA2460	 CA2860	 CA3060	 CA3660	 60"
	 CA1866	 CA2066	 CA2466	 CA2866	 CA3066	 CA3666	 66"
	 CA1872	 CA2072	 CA2472	 CA2872	 CA3072	 CA3672	 72"

Custom Sizes Also Available

Standard Sizes

24

Rough Opening	35 $\frac{5}{16}$ "	39 $\frac{9}{16}$ "	47 $\frac{1}{16}$ "	55 $\frac{5}{16}$ "	59 $\frac{9}{16}$ "	71 $\frac{1}{16}$ "	24"
Unit Size	35 $\frac{1}{16}$ "	39 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	55 $\frac{1}{16}$ "	59 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	36"
	 CA1824-2	 CA2024-2	 CA2424-2	 CA2824-2	 CA3024-2	 CA3624-2	
	 CA1836-2	 CA2036-2	 CA2436-2	 CA2836-2	 CA3036-2	 CA3636-2	23 $\frac{1}{2}$ "
TWIN CASEMENTS	 CA1842-2	 CA2042-2	 CA2442-2	 CA2842-2	 CA3042-2	 CA3642-2	35 $\frac{1}{2}$ "
	 CA1848-2	 CA2048-2	 CA2448-2	 CA2848-2	 CA3048-2	 CA3648-2	41 $\frac{1}{2}$ "
	 CA1854-2	 CA2054-2	 CA2454-2	 CA2854-2	 CA3054-2	 CA3654-2	47 $\frac{1}{2}$ "
	 CA1860-2	 CA2060-2	 CA2460-2	 CA2860-2	 CA3060-2	 CA3660-2	53 $\frac{1}{2}$ "
	 CA1866-2	 CA2066-2	 CA2466-2	 CA2866-2	 CA3066-2	 CA3666-2	59 $\frac{1}{2}$ "
	 CA1872-2	 CA2072-2	 CA2472-2	 CA2872-2	 CA3072-2	 CA3672-2	65 $\frac{1}{2}$ "
							71 $\frac{1}{2}$ "

Custom Sizes Also Available

Standard Sizes

25


Rough Opening	53 1/8"	59 1/8"	71 1/8"	83 1/8"	89 1/8"	107 1/8"	
Unit Size	52 5/8"	58 5/8"	70 5/8"	82 5/8"	88 5/8"	106 5/8"	
	 CA1824-3	 CA2024-3	 CA2424-3	 CA2824-3	 CA3024-3	 CA3624-3	
	 CA1836-3	 CA2036-3	 CA2436-3	 CA2836-3	 CA3036-3	 CA3636-3	24"
	 CA1842-3	 CA2042-3	 CA2442-3	 CA2842-3	 CA3042-3	 CA3642-3	36"
	 CA1848-3	 CA2048-3	 CA2448-3	 CA2848-3	 CA3048-3	 CA3648-3	42"
	 CA1854-3	 CA2054-3	 CA2454-3	 CA2854-3	 CA3054-3	 CA3654-3	48"
	 CA1860-3	 CA2060-3	 CA2460-3	 CA2860-3	 CA3060-3	 CA3660-3	54"
	 CA1866-3	 CA2066-3	 CA2466-3	 CA2866-3	 CA3066-3	 CA3666-3	60"
	 CA1872-3	 CA2072-3	 CA2472-3	 CA2872-3	 CA3072-3	 CA3672-3	66"
							23 1/2"
							35 1/2"
							41 1/2"
							47 1/2"
							53 1/2"
							59 1/2"
							65 1/2"
							71 1/2"
							72"


Custom Sizes Also Available

Standard Sizes


26

Rough Opening	24"	30"	36"	42"	48"	54"	60"	LM
Unit Size	23½"	29½"	35½"	41½"	47½"	53½"	59½"	18"
AWNING	AW2418	AW3018	AW3618	AW4218	AW4818	AW5418	AW6018	17½"
	AW2420	AW3020	AW3620	AW4220	AW4820	AW5420	AW6020	19½"
	AW2424	AW3024	AW3624	AW4224	AW4824	AW5424	AW6024	20"
	AW2428	AW3028	AW3628	AW4228	AW4828	AW5428	AW6028	23½"
	AW2436	AW3036	AW3636	AW4236	AW4836	AW5436	AW6036	27½"
	AW2442	AW3042	AW3642	AW4242	AW4842	AW5442	AW6042	30"
								35½"
								36"
								42"





With Applied J-Channel



Without J-Channel




1/2" x 5/8" Drywall Return




3/4" Drywall Return




Extension Jamb



With Applied J-Channel



3/4" Drywall Return























Extension Jamb

Custom Sizes Also Available

Standard Sizes







27

Rough Opening	24"	36"	48"	60"	72"	
Unit Size	23½"	35½"	47½"	59½"	71½"	
	 HS2424	 HS3624	 HS4824	 HS6024	 HS7224	 23½"
	 HS2436	 HS3636	 HS4836	 HS6036	 HS7236	 35½"
HORIZONTAL SLIDERS	 HS2442	 HS3642	 HS4842	 HS6042	 HS7242	 41½"
	 HS2448	 HS3648	 HS4848	 HS6048	 HS7248	 47½"
	 HS2460	 HS3660	 HS4860	 HS6060	 HS7260	 59½"
						 60"
SINGLE SLIDER		 With J-Channel	 J-Channel Filler	 1/2"-5/8" Drywall Return	 3/4" Drywall Return	 Extension Jamb
		 With J-Channel	 J-Channel Filler	 1/2"-5/8" Drywall Return	 3/4" Drywall Return	
DOUBLE SLIDER		 With J-Channel	 J-Channel Filler	 1/2"-5/8" Drywall Return	 3/4" Drywall Return	 Extension Jamb
		 With J-Channel	 J-Channel Filler	 1/2"-5/8" Drywall Return	 3/4" Drywall Return	

Custom Sizes Also Available

Standard Sizes


28


Rough Opening	72"	84"	96"	108"	120"	
Unit Size	71½"	83½"	95½"	107½"	119½"	36"
						
	HP7236	HP8436	HP9636	HP10836	HP12036	47 1/2"
						48"
	HP7248	HP8448	HP9648	HP10848	HP12048	59 1/2"
						60"
	HP7260	HP8460	HP9660	HP10860	HP12060	


Custom Sizes Also Available


Standard Sizes


29

Rough Opening	40"	44"	48"	52"	56"	60"	64"	68"	72"	36"	42"	48"	54"	57"	60"	66"	72"																																																							
Unit Size	39½"	43½"	47½"	51½"	55½"	59½"	63½"	67½"	71½"	35½"	41½"	47½"	53½"	56½"	59½"	65½"	71½"																																																							
	 PW4036	 PW4436	 PW4836	 PW5236	 PW5636	 PW6036	 PW6436	 PW6836	 PW7236	 PW4042	 PW4442	 PW4842	 PW5242	 PW5642	 PW6042	 PW6442	 PW6842	 PW7242	 PW4048	 PW4448	 PW4848	 PW5248	 PW5648	 PW6048	 PW6448	 PW6848	 PW7248	 PW4054	 PW4454	 PW4854	 PW5254	 PW5654	 PW6054	 PW6454	 PW6854	 PW7254	 PW4057	 PW4457	 PW4857	 PW5257	 PW5657	 PW6057	 PW6457	 PW6857	 PW7257	 PW4060	 PW4460	 PW4860	 PW5260	 PW5660	 PW6060	 PW6460	 PW6860	 PW7260	 PW4066	 PW4466	 PW4866	 PW5266	 PW5666	 PW6066	 PW6466	 PW6866	 PW7266	 PW4072	 PW4472	 PW4872	 PW5272	 PW5672	 PW6072	 PW6472	 PW6872	 PW7272




 With J-Channel


 J-Channel Filler


 1/2" - 5/8" Drywall Return


 3/4" Drywall Return


 Extension Jam

Custom Sizes Also Available

















Standard Sizes


30

Custom Sizes Also Available




PATIO DOORS

Rough Opening	60"	72"	96"	
Unit Size	59.5"	71.5"	95.5"	
Two Panel	 SWPD5068	 SWPD6068	 SWPD8068	80"
	 SWPD50611	 SWPD60611	 SWPD80611	82.5"
	 SWPD5080	 SWPD6080		95.5"
Rough Opening	89.25"	107.25"		
Unit Size	88.75"	106.75"		
Three Panel	 SWPD7668	 SWPD9068	79.5"	
	 SWPD76611	 SWPD90611	82"	
Rough Opening	116.375"	140.375"		
Unit Size	115.875"	139.875"		
Four Panel	 SWPD10068	 SWPD12068	79.5"	
	 SWPD100611	 SWPD120611	82"	




SHAPES

Elliptical



Sunburst

Sunstar




Starburst

Size	Dimensions
------	------------


EL7220 71 1/2" x 19 1/2"
 EL6018 59 1/2" x 17 1/2"

Octagon




Colonial Nine Lite

Oval




Colonial Four Lite


Circle



Sunburst




Colonial Four Lite




Colonial Nine Lite


Half-Round



Sunburst



Sunstar




Double Sunburst^A




Starburst


Quarter-Round



Sunburst



Sunstar



Starburst

Size	Dimensions
------	------------

CI3030 29 1/2" x 29 1/2"
 CI3636 35 1/2" x 35 1/2"

Size	Dimensions
------	------------

HRD3819 37 1/2" x 18 3/4"
 HRD4020 39 1/2" x 19 3/4"
 HRD6834 67 1/2" x 33 3/4"
 HRD7236 71 1/2" x 35 3/4"

Size	Dimensions
------	------------

Standard sizes are not listed for Quarter-Rounds. A variety of custom sizes are available.

^AThis pattern is available in widths larger than 56 inches.



SPENCER WALCOTT

COLLECTION

170+ YEARS IN THE MAKING

VERSATILITY | VAST CUSTOMIZATION | LIFETIME WARRANTY

